


DATA SHEET - FIXED LIFTING BEAM



Code	Capacity (kg)	Weight (kg)	Dimensions (mm)		
			A	B	C
BIL-1/1000TR	1000	14	110	60	1000
BIL-1/2000TR	1000	40	110	60	2000
BIL-1/3000	1000	101	110	60	3000
BIL-1/4000	1000	135	110	60	4000
BIL-2/1000TR	2000	28	135	75	1000
BIL-2/2000TR	2000	72	135	75	2000
BIL-2/3000	2000	115	135	75	3000
BIL-2/4000	2000	185	135	75	4000
BIL-3/1000	3000	40	160	90	1000
BIL-3/2000	3000	96	160	90	2000
BIL-3/3000	3000	145	160	90	2000
BIL-3/4000	3000	225	160	90	4000
BIL-4/1000	4000	45	180	100	1000
BIL-4/2000	4000	110	180	100	2000
BIL-4/3000	4000	150	180	100	3000



DATA SHEET - FIXED LIFTING BEAM

Code	Capacity (kg)	Weight (kg)	Dimensions (mm)		
			A	B	C
BIL-4/4000	4000	230	180	100	4000



DATA SHEET - FIXED LIFTING BEAM

Lifting beams



Fixed lifting beam

Fixed lifting beam with lower lifting points

Lifting beams with two or more lower attachment points. The connection of the load bar to the lifting device is made through a single central attachment point, consisting of a specially sized suspension loop based on the capacity. Upon request, we offer the possibility to customize the solution with two or more upper attachment points, in order to ensure better load balancing during lifting operations. All equipment is CE certified and supplied complete with user and maintenance manual. Upon request, we can provide a calculation report signed by a qualified technician.

Application sectors

 Lifting