


DATA SHEET - TELEHANDLER CONCRETE SKIP



Code	Capacity (kg)	Capacity (L)	Weight (kg)	Dimensions (mm)				
				A	B	C	D	E
MCE-50	1300	500	170	766	1240	1195	170	70
MCE-99	2600	1000	320	900	1615	1225	190	80
MCE-150	3900	1500	415	845	1970	1883	230	80

DATA SHEET - TELEHANDLER CONCRETE SKIP

Concrete buckets



Telehandler concrete skip

Concrete bucket with base for forklift or telehandler

We are excited to present the MCE model, a versatile and reliable solution for lifting and transporting concrete. With a three-sided forkable base, the MCE model allows safe and stable lifting using a forklift or telescopic handler. The bucket features a front lever-operated guillotine gate, offering precise control during concrete pouring operations. Upon request, the bucket can be supplied with a complete rubber hose conveyor with a 200 mm diameter, ensuring a more controlled and secure flow. The MCE model is designed to meet your specific on-site needs, offering versatility and reliability. Its robust structure and careful design make it an ideal ally for optimizing your construction operations. Available in a wide range of sizes and capacities, the MCE model can be customized to best meet your specific requirements. All our buckets are built and tested according to strict quality and safety standards, ensuring compliance with UNI EN ISO 12100, UNI EN 13854, ISO 8686, UNI EN 10027, and UNI EN 10204 regulations. Each unit is accompanied by a metal ID plate, a certificate of conformity, and an operation and maintenance manual. All our products are covered by a one-year warranty in compliance with the European Directive.

Application sectors

 Construction